

STRIPPING TOOLS FOR PRIMARY INSULATION



Norm: EN10020



Stripping Tool IMS II - 1723 1




IMS II-Set - 1723 0

IMS II - Universal Cable Stripper for Primary Insulation

APPLICATION RANGE	Ø 15 - 52 mm
INSULATION THICKNESS	0 - 15 mm
SUGGESTED APPLICATION	Any type of primary insulation

Technical Characteristics:

- Designed to remove the primary insulation of 6 to 45kV cables
- Helical and circular cuts
- Max. rotating diameter 220 mm
- Snap knob to activate/deactivate axial feed
- Positioned on the cable like a vice system
- Designed to strip both ends
- Unlimited stripping length
- Interchangeable blade



- REDUCED ROTATION ENABLES TO WORK ON LIMITED SPACE
- PERFECT CIRCULAR CUT
- NO INCISIONS ON SURFACE BELOW

Description	Order No.	Dimensions (LxWxH)	Weight
Set: IMS II	1723 0	280 x 210 x 65 mm	1,0 kg
Spare blade	1723 2	-	-
Spare parts kit (2x plates, 1x roll, suitable screws)	1723 5	-	-

Attention: not suitable for work under voltage

SET Equipment:

- IMS II - cable stripper 1723 1
- 2,5 mm Allen wrench 1710 0
- Tube of silicone grease AG1013
- Rigid plastic case AB17230